



STALWART INC.

Outdoor Facade Stacture



Office Address :
1ST FLOOR, SAKHIYA VILLAS, INFRONT OF BOYSPOLITECHNIC COLLEGE, JHANSI ROAD
NAKACHANDRAWADNI, GWALIOR, MADHYA PRADESH, 474009

Contact : +91 7415357199
Email : infostalwartinc@gmail.com
web site : www.stalwartinc.in



Female deer-2655 (left) Male deer-26531
Fawn-2658 (right) Fawn-2656 (right)

STALWART INC.

Office address :

1st floor, sakhiya villas, infront of
boys politechnic college, jhansi road
Nakachandrawadni, Gwalior,
Madhya pradesh, 474009

Contact : +91 7415357199

web site : www.stalwartinc.in

Email : infostalwartinc@gmail.com



STALWART INC.



**LUMINOUS
SIKA
DEER**

GLOWING SIKA DEER

In Traditional Indian Culture, deer are endowed with many beautiful meanings. According to legend, a thousand-year-old deer is a dark deer, and two thousand-year-old deer is black deer, so deer is a symbol of longevity. In many auspicious patterns with deer as the theme, it is often used to represent longevity and promotion.



ST- 2653 LUMINOUS SIKA DEER

Product Size	176x55x210cm
Protection level	Ip44
Rated power	70W warm light
Input voltage	DC24V



ST-2655" LUMINOUS SIKA DOE

Product Size	138X40X102cm
Protection level	Ip44
Rated power	60W for sale
Input voltage	DC24V



ST- 2658" Glowing Young Buck

Product Size	101x30x168
Protection level	Ip44
Rated power	60W warm light
Input voltage	DC24V



ST- 2656" glowing plum blossom deer

Product Size	101x30x168
Protection level	Ip44
Rated power	60W warm light
Input voltage	DC24V



Female deer-2666 (Left) Male deer-2668 (right)

STALWART INC.



ST- 2666" Glowing Little Elk

Product Size 113x40x120cm
Protection level Ip44
Rated power 80W warm light
Input voltage DC24V



ST- 2668" glowing Bull Elk

Product Size 115x80x153cm
Protection level Ip44
Rated power 80W warm light
Input voltage DC24V



Female deer-2670 (left) Male deer-2669 (right)



ST- 2669" Horned Elk

Product Size	69x27x83cm
Protection level	IP44
Rated power	30W warm light
Input voltage	DC24V

ST- 2670" Antlerless Elk

Product Size	69x27x83cm
Protection level	IP44
Rated power	30W warm light
Input voltage	DC24V



ST-SX103[#]

Name	input voltage	Size	Material	Power	Color temperature	Protection level
LW rabbit lantern	AC220V	32x24x35cm	fiberglass+resin	3W	3000K warm white	IP44

ST-SX103-1[#]

Name	input voltage	Size	Material	Power	Color temperature	Protection level
LW rabbit lantern	AC220V	26.5x23x38cm	fiberglass+resin	3W	3000K warm white	IP44

SOLOR PANEL

Output Current	Size	input voltage	battery capacity	male & female plug
220MA	275x185x18cm	Low voltage 3V	18650 lithium battery	2.4m long 5521DC male connector + 0.6m female connector



**LUMINOUS
LITTLE
RABBIT**

Glowing white rabbit



Solar Energy



ST-O050 Luminous Moon

Product Size	Diameter
	25/30/50/60/80/100/120cm
Protection Level	IP 44
Rated Power	20w warm Light
Input voltage	DC24V



ST-2311M2 Winged ears bunny

Dimension : 26x38x41cm Protection grade : Ip44
Power : 5w Light Input voltage : AC220V



ST-2311M1 Lop-eared bunny

Dimension : 23x35x39cm Protection grade : Ip44
Power : 5w warm Input voltage : AC220V



ST-2311L2 big lop-eared rabbit


Dimension : 23x35x39cm Protection grade : Ip44
Power : 5w warm Input voltage : AC220V



ST-2311L1 big rabbit with turned ears


Dimension : 30x40x55cm Protection grade : Ip44
Power : 5w warm light Input voltage : AC220V





ST-SX105 Hard-Working Rabbit-Female

Input voltage: DC24V Rated power: 15W warm light
Product size: 43x30x100cm Protection grade IP44



ST-SX106 Hard-Working rabbit-male

Input voltage: DC24V Rated power: 15W warm light
Product size: 38x30x98cm Protection grade IP44





►
LUMINOUS
LITTLE
SQUIRREL

Glowing squirrel

The squirrel is a very spiritual little animal. It is docile, well-behaved and Clever. When you see it, all your troubles will be swept away. Its symbolic meaning is to get rid of troubles and still have sunshine.

Lying squirrel-2056-3 (left) Standing squirrel-2056-4(right)

STALWART INC.



ST-2056-3 Luminous Squirrel

Input Voltage:	AC220V
Product Size	54.5x25x44cm
Rated Power	5W warm light
Protection level	IP44



ST-2056-4 Glowing Squirrel

Input Voltage:	AC220V
Product Size	45x25x48cm
Rated Power	5W warm light
Protection level	IP44



STALWART INC.



ST-2308[#] Glowing Squirrel

Input Voltage:	AC220V
Product Size	46x24x56cm
Rated Power	5W warm light
Protection level	IP44

**LUMINOUS
LIONS
LAMP**

Glowing Lion

The lion is the embodiment of wisdom and strength, and represents auspiciousness, prosperity and endless life. It symbolizes status, dignity, and peace.

ST-SZ201[#]



Name	Input voltage	Size
Glowing male lion	DC24V	145x26x101cm
Material	Color temperature	Protection Level
fiberglass+resin	3000k warm white	IP44

ST-SZ203[#]



Name	Input voltage	Size	Power
Glowing male lion	DC24V	80x33x55cm	80W
Material	Color temperature	Protection Level	
fiberglass+resin	3000k warm white	IP44	

ST-SZ202[#]



Name	Input voltage	Size	Power
Glowing male lion	DC24V	138x40x100cm	120W
Material	Color temperature	Protection Level	
fiberglass+resin	3000k warm white	IP44	



►

LUMINOUS
PANDAS
LAMP

Glowing Panda



ST-2078-3" Glowing Panda

Product size 60x29x35cm
Rated Power 5w warm light
Protection level Ip44
Input voltage AC220V



ST-2078-4" Glowing Panda

Product size 56x27x33cm
Rated Power 5w warm light
Protection level Ip44
Input voltage AC220V



Standing Panda-2078-8(Left) Sitting Panda-2078-5(Middle) Walking Panda 2078-6 (Right)



ST-2078-8 Standing Panda

Product Size	62x45x128cm
Protection Level	IP44
Rated power	40w white light
Input voltage	DC24V



ST-Z1518Y Bamboo Leaves

Product Size	d12cm H150/200/300cm
Protection Level	IP44
Rated power	20W Green Light
Input voltage	DC24V



ST-2078-6 Walking Panda

Product Size	115x44x55cm
Protection Level	IP44
Rated power	40w white light
Input voltage	DC24V



ST-2078-5 Squatting Panda

Product Size	31x28x48cm
Protection Level	IP44
Rated power	5w white light
Input voltage	AC220V



Walking Panda-2078-3 (left) Sitting Panda-2078-5 (middle) Lying Panda-2078-4(right)

STALWART INC.



ST-2078-5 Sitting panda

Dimension : 31x28x48cm Protection level: Ip44
Power : 5W warm light Input voltage: AC220V



ST-2078-3 Walking Panda

Dimension : 60x29x35cm Protection level: Ip44
Power : 5W warm light Input voltage: AC220V



ST-2078-4 Lying Panda

Dimension : 56x27x33cm Protection level: Ip44
Power : 5W warm light Input voltage: AC220V

FD 822

STALWART INC.

LUMINOUS
GIRAFFES
LAMP

Glowing Giraffe




Squatting-CJ205 (first from left) Standing-CJ208 (Second from left) Standing-CJ204 (middle)
Squatting-CJ207 (Second from right) Standing-CJ206 (first from right)



ST-CJ205

Input Voltage: DC24V
Product Size 105x70x145cm
Rated Power 90W warm light
Protection level IP44



ST-CJ207

Input Voltage: DC24V
Product Size 82x50x102cm
Rated Power 80W warm light
Protection level IP44



ST-CJ204

Input Voltage: DC24V
Product Size 130x70x259cm
Rated Power 180W warm light
Protection level IP44




ST-CJ208

Input Voltage: DC24V
Product Size 68x32x130cm
Rated Power 80W warm light
Protection level IP44



ST-CJ206

Input Voltage: DC24V
Product Size 80x35x170cm
Rated Power 100W warm light
Protection level IP44



ST-2049 Luminous Giraffe


Input Voltage:	AC220V
Product Size	35x48x72cm
Rated Power	5W warm light
Protection level	IP44



Dwarf Alpaca-YT122(Left) Tall Alpaca-YT150(right)

►
**LUMINOUS
ALPACA
LAMP**

Glowing Alpaca



ST-YT122

Product size 110x40122cm
Protection Level IP44
Rated Power 45w warm light
Input Voltage DC24V



ST-YT150

Product size 137x50x150cm
Protection Level IP44
Rated Power 45w warm light
Input Voltage DC24V





Big ram-MY209 (first from left) small ewe-MY212 (second from left) small lamb-MY213
Young Male Sheep-MY211 (second from right) and large female sheep-MY210 (first from right)



► STALWART INC.

LUMINOUS SHEEP LAMP

Glowing sheep



ST-MY209[®] Glowing big ram

Input Voltage	AC220V
Product Size	110x40x88cm
Rated Power	50W warm light
Protection	IP44



ST-MY210[®] Luminous Large Ewe

Input Voltage	AC220V
Product Size	108x45x88cm
Rated Power	50W warm light
Protection	IP44



ST-MY211[®] Luminous ram

Input Voltage	AC220V
Product Size	81x30x50cm
Rated Power	30W warm light
Protection	IP44



ST-MY213[®] Glowing little sheep

Input Voltage	AC220V
Product Size	41x30x45cm
Rated Power	15W warm light
Protection	IP44



ST-MY212[®] Luminous Ewe

Input Voltage	AC220V
Product Size	70x33x46cm
Rated Power	30W warm light
Protection	IP44



Flamingo with head up-HN121* (left) Flamingo with head down- ML0808*

STALWART INC.



LUMINOUS FLAMINGO LAMP


Glowing Flamingo

Flamingo Symbolizes prosperity, freedom, elegance and beauty. it is full of youthful vitality, not knowing what emptiness is, and unrestrainedly swaying youth. It symbolizes loyal and unswerving love.



ST-HN121[#]

Product size	70x28x121cm
Protection Level	IP44
Rated Power	15w warm light
Input Voltage	DC24V



ST-HN080[#]

Product size	70x28x80cm
Protection Level	IP44
Rated Power	15w warm light
Input Voltage	DC24V

STALWART INC.


**LUMINOUS
HERONS
LAMP**

Glowing heron

The Grey heron is an admirable bird, somewhat like a crane in appearance, with a gray body. It likes to stand still by the water for a long time, waiting for an opportunity to prey on fish and shrimp. The grey heron means That as long as you wait patiently, the opportunity will always come.




Heron with retracted neck - CL606 (left) Heron with spread wings - CL607 (middle) Heron with extended neck - CL605 (right)




ST-CL605#

Input voltage	DC24V
Product Size	61x50x200cm
Rated Power	60W white light
Protection grade	IP44



ST-CL607#

Input voltage	DC24V
Product Size	74x75x145cm
Rated Power	50W white light
Protection grade	IP44



ST-CL606#

Input voltage	DC24V
Product Size	68x50x157cm
Rated Power	50W white light
Protection grade	IP44

LUMINOUS
RED-CROWNED
CRANES

Glowing red-crowned crane



ST-HN602*Preening Crane Feathers

Size : 112x50x170cm Protection grade : IP44
Power : 36W warm Light Input voltage : DC24V



ST-HN601*Looking at the cranes in the distance

Size : 98x50x210cm Protection grade : IP44
Power : 36W warm Light Input voltage : DC24V



ST-HN604* Spread wings crane

Size : 67x105x135cm Protection grade : IP44
Power : 20W warm Light Input voltage : DC24V



ST-HN603* The Crane crying in the sky

Size : 65x117x160cm Protection grade : IP44
Power : 20W warm Light Input voltage : DC24V



Preening the feathers of Cranes-XH602 (first from left) The Crying crane-XH603 (second from left)
Crane with spread wings-XH604 (front right) Looking into the distance at the cranes-XH601 (right rear)

Chicken-SX110-1 (Left) Rooster-SX110 (right)



ST-SX110[#] Luminous Cock

Product Size	48x23x67cm
Protection level	Ip44
Rated Power	5W warm light
Input Voltage	AC220V

ST-SX110[#] Luminous Hen


Product Size	42x26x55cm
Protection level	Ip44
Rated Power	5W warm light
Input Voltage	AC220V

LUMINOUS COCK AND HEN

Glowing Cock & Hen

STALWART INC.





LUMINOUS
DUCK
LAMP

Glow Duck



STALWART INC.

Duck Drinking water -YZ 608(first from left) Little duck (elightly smaller)-YZ612 (Second from left)
Long neck duck-YZ609 (Second from right) Quacking duck-YZ610(first from the right)



ST-YZ609' Long neck duck

Dimensions 19x29x56.5cm Protection Grade Ip44
Power 5W warm light Input voltage AC22V



ST-YZ610' Quack duck

Dimensions 37x17x43cm Protection Grade Ip44
Power 5W warm light Input voltage AC22V



**ST-YZ611'(Slightly Larger)
ST-YZ612 (Slightly smaller) Little Duck**

Dimensions 17x9x18/ 13x8x15cm Protection Grade Ip44
Power 5W warm light Input voltage AC22V



ST-YZ608' Duck Drinking Water

Dimensions 20x0T.OX20C Protection Grade Ip44
Power 5W warm light Input voltage AC22V



STALWART INC.

► LUMINOUS MANDARIN DUCK

Glowing Mandarin Duck



ST-2639-1#

Input Voltage	DC24V
Product Size	31x16x13cm
Rated Power	3W warm light
Protection level	IP44



ST-2639-2#

Input Voltage	DC24V
Product Size	31x16x13cm
Rated Power	3W warm light
Protection level	IP44

►
LUMINOUS
WHITE
SWAN

Glowing Swan



Swan Heart-T01 (front, information on the next page)
Wings up-T03 (back left) Wings level-T02 (back right)



ST-T02 Luminous swan with wings spread	
Dimension 80x140x68cm	Protection grade Ip44
Power 40W white light	Input Voltage DC24V



ST-T03 Luminous swan Spreading its wings	
Dimension 120x190x38	Protection grade Ip44
Power 40W white light	Input Voltage DC24V

STALWART INC.



ST-T01 Luminous Swan	
Input Voltage	DC24V
Product Size	74x39x63cm
Rated Power	45W warm light
Protection level	IP44



STALWART INC.



ST-N01 Spread Wings Bird

Input Voltage	DC24V
Product Size	20x15.5x20cm
Rated Power	1W warm light
Protection level	IP44



ST-N02 Standing Bird

Input Voltage	DC24V
Product Size	20x10x13cm
Rated Power	15W warm light
Protection level	IP44

STALWART INC.



ST-N06 Luminous Bird egg lamp

Size 13x11x11cm	Protection grade IP44
Power 3w white light	Input voltage DC24V

Note: The Bird nest can be matched according to needs





LUMINOUS
PEACOCK
LAMP

Glowing Peacock



ST-KQ616[#]



Name	input voltage	Size	Material	Power	Color Temperature	Protection level
Glowing Peacock	DC24V	94x30x69cm	fiberglass+resin	30W	3000k warm light	IP44



STALWART INC.




ST-KQ17 Luminous Peacock	
Input Voltage	DC24V
Product Size	110x60x220cm
Rated Power	150W warm light
Protection level	IP44



STALWART INC.

► LUMINOUS MANDARIN DUCK

Glowing ladybug



ST-P021-1[#]

Input Voltage	AC220V
Product Size	30x30x18cm
Rated Power	5w warm light
Protection level	IP44



ST-P021-2[#]

Input Voltage	AC220V
Product Size	40x38x20cm
Rated Power	5w warm light
Protection level	IP44



ST-P021-3[#]

Input Voltage	AC220V
Product Size	50x47x25cm
Rated Power	5w warm light
Protection level	IP44

►
**THE
INDUSTRIOUS
CATERPILLAR**

Hard-working caterpillar

Place this pair of hardworking caterpillars in your beautiful garden to make it more interesting. Look, what lovely caterpillars! They just helped me loosen the soil and clean the garden



ST-MC502 Hard-working caterpillar-shovel

Input Voltage DC24V	Rated Power 30W warm light
Product Size 45x60x125cm	Protection level IP44



ST-MC503 Hard-working caterpillar-broom

Input Voltage DC24V	Rated Power 30W warm light
Product Size 62x53x124cm	Protection level IP44

STALWART INC.



ST-MN02# Glowing owl

Size : 15x11x23cm Protection grade : IP44
Power : 3W warm light Input Voltage DC24V



ST-MN04# Glowing Toucan

Size : 12.8x8.5x34.5cm Protection grade : IP44
Power : 3W warm light Input Voltage DC24V





ST-MN03# Glowing Lizard



Size : 23.5x11.5x13cm Protection grade : IP44
Power : 3W warm light Input Voltage DC24V



ST-MN01# Glowing Toucan

Size : 18.5x11x29cm Protection grade : IP44
Power : 3W warm light Input Voltage DC24V








►
**LUMINOUS
FROG
LAMP**

Glowing Frog

The fragrance of rice flowers speaks of a good harvest, and the sound of frogs can be heard. Frogs are beneficial animals that can eliminate pests and protect crops. They are the great contributors to good harvest, so the jade frog contains the meaning of a good harvest.



ST-2332# Big Glowing Frog

Input voltage : AC220V

Rated Power : 5W warm light


Product size : 33x38x33cm

Protection grade : IP44



►
**LUMINOUS
CROCODILE
LAMP**

Glowing Crocodile



ST-2050-2# Crocodile

Input voltage : DC24V

Product Size : 31x84x31cm

Rated power : 30W warm light

Protection grade : IP44



STALWART INC.



**LUMINOUS
ASTEROIDEA
LAMP**

Glowing Starfish



ST-2647[#] Starfish

Input voltage : AC220V


Product Size : 45x20x42cm

Rated power : 5W warm light

Protection grade : IP44

►
**LUMINOUS
TORTOISE
LAMP**

Glowing little turtle



ST-2309-2^l Big Glowing turtle

Input voltage : AC220V	Rated : 5W warm light
Product Size : 33x56x28	Protection level : IP44




ST-2309-3^l Glowing Little turtle

Input voltage : AC220V	Rated : 5W warm light
Product Size : 24x32x16	Protection level : IP44

►
**LUMINOUS
TORTOISE
LAMP**

Glowing little turtle



ST-WG304# Glowing Little turtle

Input voltage : AC220V	Rated : 5W warm light
Product Size : 41x33x34	Protection level : IP44



ST-LY301#

Name	Input Voltage	Size	Power
Luminous carp (Large Size)	AC220V	54x24x22cm	5W
Material	Color Temperature	Protection Level	
Fiberglass+resin	300k warm white	IP 44	

ST-LY302#

Name	Input Voltage	Size	Power
Luminous carp (Medium Size)	AC220V	38x15x14cm	5W
Material	Color Temperature	Protection Level	
Fiberglass+resin	300k warm white	IP 44	

ST-LY303#

Name	Input Voltage	Size	Power
Glowing carp (Small Size)	AC220V	28x13x12cm	5W
Material	Color Temperature	Protection Level	
Fiberglass+resin	300k warm white	IP 44	





ST-H802P⁺ Open Lotus

Input Voltage : DC24V
Product Size : 20x20x17cm
Rated Power : 5W warm light
Protection grade : IP44

ST-H804P⁺ Lotus bud

Input Voltage : DC24V
Product Size : 18x15x16cm
Rated Power : 5W warm light
Protection grade : IP44

ST-H801P⁺ Blooming Lotus

Input Voltage : DC24V
Product Size : 43x43x20cm
Rated Power : 5W warm light
Protection grade : IP44

ST-H803P⁺ Lotus waiting to bloom

Input Voltage : DC24V
Product Size : 20x20x16cm
Rated Power : 5W warm light
Protection grade : IP44

ST-H805P⁺ Shower head

Input Voltage : DC24V
Product Size : 15x15x13cm
Rated Power : 5W warm light
Protection grade : IP44

ST-H801M[#] Blooming Lotus

Input Voltage : DC24V
 Product Size : 43x43x20cm
 Rated Power : 5W warm light
 Protection grade : IP44

ST-H803M[#] Lotus waiting to bloom

Input Voltage : DC24V
 Product Size : 20x20x16cm
 Rated Power : 5W warm light
 Protection grade : IP44

ST-H802M[#] Open Lotus

Input Voltage : DC24V
 Product Size : 28x26x17cm
 Rated Power : 5W warm light
 Protection grade : IP44

ST-H805M[#] Lotus Shower head

Input Voltage : DC24V
 Product Size : 15x15x13cm
 Rated Power : 5W warm light
 Protection grade : IP44

ST-H804M[#] Lotus bud

Input Voltage : DC24V
 Product Size : 18x15x16cm
 Rated Power : 5W warm light
 Protection grade : IP44

ST-H801M[®] Blooming Lotus

Input Voltage : DC24V
Product Size : 43x43x20cm
Rated Power : 5W warm light
Protection grade : IP44

ST-H805M[®] Shower head

Input Voltage : DC24V
Product Size : 15x15x13cm
Rated Power : 5W warm light
Protection grade : IP44

ST-H802M[®] Open Lotus

Input Voltage : DC24V
Product Size : 28x26x17cm
Rated Power : 5W warm light
Protection grade : IP44

ST-H803M[®] Lotus waiting to bloom

Input Voltage : DC24V
Product Size : 20x20x16cm
Rated Power : 5W warm light
Protection grade : IP44

ST-H804M[®] Lotus bud

Input Voltage : DC24V
Product Size : 18x15x16cm
Rated Power : 5W warm light
Protection grade : IP44

LUMINOUS MUSHROOM LAMP

Glowing Mushroom

The cute and round mushroom lamp makes people happy and lively. Mushrooms are the spirits of forest. They appear in places with less pollution. Adding a few glowing mushroom lamps to the environment makes the air around them lively and the mood becomes happier.



Medium mushroom - MG102[#] (left) Small mushroom-MG101[#] (middle) Large Mushroom-MG103[#] (right)

STALWART INC.



ST-MG101[#]

	Name	Input	Size	Power
	Single head mushroom (small)	AC220V	29x29x30cm	5W
	Material	Color Temperature	Protection level	
	Fiberglass+resin	3000k warm white	IP 44	

ST-MG102[#]

	Name	Input	Size	Power
	Single head mushroom (Medium)	AC220V	40x40x41cm	5W
	Material	Color Temperature	Protection level	
	Fiberglass+resin	3000k warm white	IP 44	

ST-MG103[#]

	Name	Input	Size	Power
	Single head mushroom (Large)	AC220V	40x40x59cm	5W
	Material	Color Temperature	Protection level	
	Fiberglass+resin	3000k warm white	IP 44	



ST-MG104#

	Name	Input	Size	Power
	Multi headed mushroom (small)	AC220V	28x25x37cm	5W
	Material	Color Temperature	Protection level	
	Fiberglass+resin	3000k warm white	IP 44	

ST-MG105#

	Name	Input	Size	Power
	Multi headed mushroom (medium)	AC220V	46x35x60cm	25W
	Material	Color Temperature	Protection level	
	Fiberglass+resin	3000k warm white	IP 44	

ST-MG106#

	Name	Input	Size	Power
	Multi headed mushroom (Large)	AC220V	55x48x92cm	40W
	Material	Color Temperature	Protection level	
	Fiberglass+resin	3000k warm white	IP 44	



Small mushroom-MG104# (left) Large mushroom-MG106# (middle) Medium mushroom- MG105# (right)



ST-NG806 Glowing Pumpkin

Input voltage : AC220V	Rated power : 5W warm light
Product Size : 55x55x46cm	Protection level : IP44



ST-NG807 Glowing Pumpkin

Input voltage : AC220V	Rated power : 5W warm light
Product Size : 30x30x28cm	Protection level : IP44

STALWART INC.



►
**LUMINOUS
BAMBOO
LAMP**

Glowing Bamboo

The spirit of bamboo represents the spirit of self-improvement and standing tall. It is elegant and Refined, and does not flatter the world. The bamboo lamp is made from bamboo, which gives People a sense of tranquility, elegance, simplicity and returning to nature.



STALWART INC.



ST-Z3003[#]

	Name	Input Voltage	Size	Power
	Bamboo lamp (30cm high)	AC220V	9.5x9.5x30cm	3w
	Material	Color Temperature	Protection level	
	fiberglass+resin	3000K warm white	IP 44	

ST-Z4003[#]

	Name	Input Voltage	Size	Power
	Bamboo lamp (40cm high)	AC220V	9.5x9.5x40cm	3w
	Material	Color Temperature	Protection level	
	fiberglass+resin	3000K warm white	IP 44	

ST-Z5003[#]

	Name	Input Voltage	Size	Power
	Bamboo lamp (50cm high)	AC220V	9.5x9.5x50cm	3w
	Material	Color Temperature	Protection level	
	fiberglass+resin	3000K warm white	IP 44	



STALWART INC.

ST-Z5009^g Luminous Bamboo
 Product size : 3.5x9.5x30+40+50cm
 Rated power : 9W warm light
 Protection level : IP44
 input voltage : AC220V





STALWART INC.



ST-Z18636# Luminous Bamboo

Product color : Yellow/Green

Product size : 3.5x9.5x30+40+50cm

Rated power : 9W warm light

Protection level : IP44

input voltage : AC220V



STALWART INC.



ST-2126# Special Shaped Tree Stump

Product size : 67x37x42

Rated power : 5W warm light

Protection level : IP44

input voltage : AC220V



ST-2127# Rotten Wood Stump

Product size : 38.5x34x42cm

Rated power : 5W warm light

Protection level : IP44

input voltage : AC220V



ST-2676S[#]

	Name	Input voltage	Size	Power
	Full body luminous tree stump (small)	AC220V	20x20x27cm	3W
	Material	Color Temperature	Protection level	
	fiberglass+resin	3000k warm light	IP 44	

ST-2676M[#]

	Name	Input voltage	Size	Power
	Full body luminous tree stump (medium)	AC220V	25x25x33cm	5W
	Material	Color Temperature	Protection level	
	fiberglass+resin	3000k warm light	IP 44	

ST-2676L[#]

	Name	Input voltage	Size	Power
	Full body luminous tree stump (large)	AC220V	32x32x45cm	5W
	Material	Color Temperature	Protection level	
	fiberglass+resin	3000k warm light	IP 44	



ST-2676# Luminous tree Stump

Product size : 33x33x45cm

Rated power : 5W warm light

Protection level : IP44

input voltage : AC220V



STALWART INC.



ST-2676T# Solar Tree Stump

Product size : 33x33x45cm

Rated power : 5W warm light

Protection level : IP44

Working Hours : 8-12h

input voltage : AC220V



ST-2676S[#]

	Name	Input voltage	Size	Power
	Hollow glowing tree stump (small)	AC220V	20x20x27cm	3W
	Material	Color Temperature	Protection level	
	fiberglass+resin	3000k warm light	IP 44	

ST-2676M[#]

	Name	Input voltage	Size	Power
	Hollow glowing tree stump (medium)	AC220V	25x25x33cm	5W
	Material	Color Temperature	Protection level	
	fiberglass+resin	3000k warm light	IP 44	

ST-2676L[#]

	Name	Input voltage	Size	Power
	Hollow glowing tree stump (large)	AC220V	32x32x45cm	5W
	Material	Color Temperature	Protection level	
	fiberglass+resin	3000k warm light	IP 44	



ST-2676ST[#]


	Name	Input voltage	Size	Power
	Solor tree stump (small)	AC220V	20x20x27cm	3W
	Material	Working Hours	Protection level	
	fiberglass+resin	8-12h	IP 44	

ST-2676MT[#]

	Name	Input voltage	Size	Power
	Solor tree stump (medium)	AC220V	25x25x33cm	5W
	Material	Working Hours	Protection level	
	fiberglass+resin	8-12h	IP 44	

ST-2676LT[#]

	Name	Input voltage	Size	Power
	Solor tree stump (medium)	AC220V	32x32x45cm	5W
	Material	Working Hours	Protection level	
	fiberglass+resin	8-12h	IP 44	



STALWART INC.



ST-2678[#]

Name	Input voltage	Size	Power
Four-legged hollow tree stump	AC220V	27x27x50cm	5w
Material	Color Temperature	Protection level	
fiberglass+resin	3000K warm light	IP 44	



ST-T2678[#]

Name	Input voltage	Size	Power
Four-legged hollow tree stump	AC220V	27x27x50cm	5w
Material	Color Temperature	Protection level	
fiberglass+resin	3000K warm light	IP 44	
Battery	Working hours	Solar panel size	
3.7V4400MA	8-12h	24x24cm	







ST-2673[#] Partially luminous tree stump

Product Size : 30x30x40cm

Rated Power : 5W warm light

Protection level : IP44

Input voltage : AC220V



STALWART INC.


ST-J201# Color zebra light

Product Size : 35x35x32cm

Rated Power : 5W light/color changing

Protection level : IP44

Input voltage : AC220V



STALWART INC.

ST-J202² Partially luminous layer stone lamp

Product Size : 32x25x34cm

Rated Power : 5W warm light

Protection level : IP44

Input voltage : AC220V







STALWART INC.

ST- E01[#]

	Name	Input Voltage	Size	Power
	Glowing pebbles (small)	AC220V	30x27.5x23cm	5W
	Material	Color Temperature	Protection level	
	Fiberglass+resin	3000K warm light	IP 44	

ST- E02[#]

	Name	Input Voltage	Size	Power
	Glowing pebbles (medium)	AC220V	42x27x25cm	5W
	Material	Color Temperature	Protection level	
	Fiberglass+resin	3000K warm light	IP 44	

ST- E03[#]

	Name	Input Voltage	Size	Power
	Glowing pebbles (large)	AC220V	57x35x54cm	5W
	Material	Color Temperature	Protection level	
	Fiberglass+resin	3000K warm light	IP 44	



ST-2111# Overall luminous stone lamp

Product Size : 40x32x61cm

Rated Power : 5W warm light

Protection level : IP44

Input voltage : AC220V





ST-2213# Overall luminous stone lamp

Product Size : 38x30x30cm

Rated Power : 5W warm light

Protection level : IP44

Input voltage : AC220V





ST-2216# Overall luminous stone lamp

Product Size : 56x42x31cm


Rated Power : 5W warm light

Protection level : IP44

Input voltage : AC220V









ST-2130# Overall luminous stone lamp

Product Size : 30x21x18cm

Rated Power : 5W warm light

Protection level : IP44

Input voltage : AC220V





ST-2113# Overall luminous stone lamp

Product Size : 22x14x22cm

Rated Power : 5W warm light

Protection level : IP44

Input voltage : AC220V



STALWART INC.

ST-2051[†] Overall luminous stone lamp

Product Size : 34x27x50cm/
60x44x115cm

Rated Power : 5W/15W warm light

Protection level : IP44

Input voltage : AC220V



STALWART INC.

ST-2117[#] Overall luminous stone lamp

Product Size : 50x39x78cm

Rated Power : 5W warm light

Protection level : IP44

Input voltage : AC220V



ST-2113[‡] Overall luminous stone lamp

Product Size : 22x14x22cm

Rated Power : 5W warm light

Protection level : IP44

Input voltage : AC220V



STALWART INC.



ST-J208[#]

Name	Input voltage	Base size	Power	Color Temperature
Courtyard natural crystal stone	AC220V	50x50x6.5cm	30W	6000K white light
Crystal stone size		Protection level		Base Material
>30cm <50cm the specific size is subject to the finished product		IP 44		Glossy gold stainless steel





ST-S903# Grid Stone Spotlight

Product Size : 30x30x24cm

Rated Power : 9W white light

Protection level : IP44

Input voltage : AC220V





STALWART INC.



ST-S302# Frog Stone Lamp

Product Size : 39x18x29cm

Rated Power : 5W warm light

Protection level : IP44

Input voltage : AC220V



ST-S301# Frog Stone Lamp

Product Size : 39x18x29cm

Rated Power : 5W warm light

Protection level : IP44

Input voltage : AC220V





STALWART INC.



STALWART INC.

FD 822




STAIWART INC.

**ST-6208[#]
Stone window lamp**


Product Size : 18x18x63.8
Rated Power : 5W warm light
Protection level : Ip44
Input voltage : AC220V
Product color : Light gray/brown





ST-6003[#]
Stone window hand lamp

Product Size : 18x18x63.8/28x28x81cm /
23.8x23.8x68.8cm
Rated Power : 5W warm light
Protection level : Ip44
Input voltage : AC220V
Product color : Light gray/brown



ST-8003[#]
Stone window hand lamp

Product Size : 28x28x41cm/
23.8x23.8x34.8cm
Rated Power : 5W warm light
Protection level : Ip44
Input voltage : AC220V
Product color : Light gray/brown

STALWART INC.




PD 822



ST-6203[#]
Stone window high foot lamp

Product Size : 25x25x67cm/
21.5x21.5x57cm
Rated Power : 5W warm light
Protection level : IP44
Input voltage : AC220V
Product color : Light gray/brown




ST-8203[#]
Stone window high foot lamp

Product Size : 23.8x23.8x26.8cm/
20x20x23cm
Rated Power : 5W warm light
Protection level : IP44
Input voltage : AC220V
Product color : Light gray/brown

STALWART INC.




PD 822



ST-6004[®]
Stone window Column head lamp

Product Size : 28x28x41cm/
23.8x23.8x34.8cm
Rated Power : 5W warm light
Protection level : IP44
Input voltage : AC220V
Product color : Light gray/brown




ST-8204[®]
Stone window Column head lamp

Product Size : 28x28x41cm/
23.8x23.8x34.8cm
Rated Power : 5W warm light
Protection level : IP44
Input voltage : AC220V
Product color : Light gray/brown




STALWART INC.



ST-6204[#]
Stone window Column head lamp

Product Size :25x25x67cm/
21.5x21.5x57cm
Rated Power : 5W warm light
Protection level : IP44
Input voltage : AC220V
Product color : Light gray/brown




ST-8204[#]
Stone window column head lamp

Product Size :23.8x23.8x26.8cm/
20x20x23cm
Rated Power : 5W warm light
Protection level : IP44
Input voltage : AC220V
Product color : Light gray/brown


STALWART INC.





ST-6007[#]
Stone window high foot lamp

Product Size : 27x27x72cm
Rated Power : 5W warm light
Protection level : IP44
Input voltage : AC220V
Product color : Light gray/brown




ST-8007[#]
Stone window high foot lamp

Product Size : 27x27x36cm
Rated Power : 5W warm light
Protection level : IP44
Input voltage : AC220V
Product color : Light gray/brown


STALWART INC.





ST-6008#
Stone window high foot lamp

Product Size : 27.8x27.8x85cm
Rated Power : 5W warm light
Protection level : IP44
Input voltage : AC220V
Product color : Light gray/brown



ST-8008#
Stone window column head lamp

Product Size : 27.8x27.8x41cm
Rated Power : 5W warm light
Protection level : IP44
Input voltage : AC220V
Product color : Light gray/brown

STALWART INC.








STALWART INC.





ST-6001[#]
Culture high lamp
 Product Size : 28x28x81cm/
 23.8x23.8x68.8cm
 Rated Power : 5w warm light
 Protection level : Ip44
 Input voltage : AC220V
 Product color : light gray/brown




ST-8001[#]
Culture head lamp
 Product Size : 28x28x41cm/
 23.8x23.8x34.8cm
 Rated Power : 5w warm light
 Protection level : Ip44
 Input voltage : AC220V
 Product color : light gray/brown



ST-8201[#]
Culture Column head lamp
 Product Size : 28x28x41cm/
 20x20x23cm
 Rated Power : 5w warm light
 Protection level : Ip44
 Input voltage : AC220V
 Product color : light gray/brown



ST-6201[#]
Culture Column head lamp
 Product Size : 25x25x67cm/
 21.5x21.5x57cm
 Rated Power : 5w warm light
 Protection level : Ip44
 Input voltage : AC220V
 Product color : light gray/brown




ST-6202[®]
Culture tall lamp
 Product Size : 28x28x81cm/
 23.8x23.8x68.8cm
 Rated Power : 5w warm light
 Protection level : IP44
 Input voltage : AC220V
 Product color : light gray/brown




ST-8002[®]
Culture Pillar lamp
 Product Size : 28x28x41cm/
 23.8x23.8x34.8cm
 Rated Power : 5w warm light
 Protection level : IP44
 Input voltage : AC220V
 Product color : light gray/brown



ST-8202[®]
Culture Pillar lamp
 Product Size : 23.8x23.8x26.8cm/
 20x20x23cm
 Rated Power : 5w warm light
 Protection level : IP44
 Input voltage : AC220V
 Product color : light gray/brown



ST-6202[®]
Culture tall lamp
 Product Size : 25x25x67cm/
 21.5x21.5x57cm
 Rated Power : 5w warm light
 Protection level : IP44
 Input voltage : AC220V
 Product color : light gray/brown



ST-6006[#]
Culture tall lamp

Product Size : 28x28x81cm
Rated Power : 5w warm light
Protection level : IP44
Input voltage : AC220V
Product color : light gray/brown




ST-8006[#]
Culture Column head lamp

Product Size : 28x28x41cm
Rated Power : 5w warm light
Protection level : IP44
Input voltage : AC220V
Product color : light gray/brown



ST-8206[#]
Culture Column head lamp

Product Size : 23.8x23.8x26.8cm
Rated Power : 5w warm light
Protection level : IP44
Input voltage : AC220V
Product color : light gray/brown



ST-6206[#]
Culture tall lamp

Product Size : 25.2x25.2x67cm
Rated Power : 5w warm light
Protection level : IP44
Input voltage : AC220V
Product color : light gray/brown



STALWART INC.






ST-6005[#]
Culture high foot lamp
Product Size : 28x28x81cm/
23.8x23.8x68.8cm
Rated Power : 5w warm light
Protection level : IP44
Input voltage : AC220V
Product color : light gray/brown



ST-8005[#]
Culture Column head lamp
Product Size : 28x28x41cm/
23.8x23.8x34.8cm
Rated Power : 5w warm light
Protection level : IP44
Input voltage : AC220V
Product color : light gray/brown



ST-8205[#]
Culture Column head lamp
Product Size : 23.8x23.8x26.8cm/
20x20x23cm
Rated Power : 5w warm light
Protection level : IP44
Input voltage : AC220V
Product color : light gray/brown



ST-6205[#]
Culture high foot lamp
Product Size : 25.2x25.2x67cm/
21.5x21.5x57cm
Rated Power : 5w warm light
Protection level : IP44
Input voltage : AC220V
Product color : light gray/brown



STALWART INC.




ST-6808#
Retro cornice
marble garden lamp

Product Size : 50x50x159cm
Rated Power : 5w warm light
Protection level : IP44
Input voltage : AC220V
Product material : glass fiber
reinforced plastic+304+acrylic











STALWART INC.

ST-NC040[#]
Olympic Bird's
Nest lawn lamp

Product Size : 40x40x60cm
 Rated Power : 5w warm light
 Protection level : IP44
 Input voltage : AC220V
 Product material : glass fiber
 reinforced plastic+304+acrylic

